STOLL

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Stolltex T 32

Article number: 268620

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Lubricant for textile machines

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: KARL MAYER STOLL Textilmaschinenfabrik GmbH Adolf-Kolping-Str. 5 D-72770 Reutlingen-Betzingen Tel.: +49(0) 71 21 - 313 - 0 Fax.: + 49(0) 71 21 - 313 - 110

Further information obtainable from: Stoll Service Center

1.4 Emergency telephone number:

Stoll: +49 (0) 71 21 - 313 - 450 during the ordinary opening hours (GMT+1: 9.00 am - 4.00 pm) UK (England, Scotland, Wales): Poison Information Centre, Tel. 111 UK (Northern Ireland): contact your local GP

SECTION 2: Hazards identification

2.1 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Safety data sheet available on request.

2.3 Other hazards Results of PBT and vPvB assessment PBT: This substance is neither persistent, bioaccumulative nor toxic (PBT). vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Preparation

Description: Mixture of mineral oil and harmless additives.

Dangerous components:

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic EINECS: 265-157-1

50-<100%

Additional information:

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

GB

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

Trade name: Stolltex T 32

The mineral oils in this product contain < 3% DMSO extract (IP346).

(Contd. of page 1)

SECTION 4: First aid measures

4.1 Description of first aid measures General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Personal protection for the First Aider.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Clean with water and soap. Generally the product is not irritant.

After eye contact:

Rinse opened eye for several minutes under running water. Remove contact lenses, continue rinsing. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed *No further relevant information available.*

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic/irritating gases possible when heated or in case of fire. Decomposition products see chapter 10.

5.3 Advice for firefighters suitable fire suppressants: carbon dioxide (CO2), foam, water, dry chemical *Protective equipment:*

Wear self-contained respiratory protective device.

Wear fully protective suit. Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Keep away from naked flames, hot surfaces and sources of ignition. Avoid contact with eyes. Do not inhale vapours and aerosols. Close leaks without taking a personal risk.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water. In case of seepage into the ground inform responsible authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

- GB -

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

(Contd. of page 2)

Trade name: Stolltex T 32

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged or repeated skin contact. Avoid contact with eyes. Keep receptacles tightly sealed. Prevent formation of aerosols. Particular danger of slipping on leaked/spilled product. Keep away from food, drink and animal feed. Wash hands before breaks and at the end of work. Do not eat, drink or smoke at work. Information about fire - and explosion protection: Keep away ignition sources - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities Storage:

 Requirements to be met by storerooms and receptacles:

 Provide solvent resistant, sealed floor.

 Prevent any seepage into the ground.

 Information about storage in one common storage facility:

 Store away from oxidising agents.

 Store separately from food, luxury foods and animal feed.

 Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

 Storage class: 10 - flammable liquid, flashpoint >60°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: TWA: 5 mg/m³ (oil mist) *Additional information:* The lists that were valid during the creation were used as basis.

8.2 Exposure controls
Appropriate engineering controls No further data; see section 7.
General protective and hygienic measures:
Do not eat or drink while working.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid close or long term contact with the skin.
Avoid contact with the eyes.
Respiratory protection:
Use suitable respiratory protective device in case of insufficient ventilation.
Not necessary if room is well-ventilated.
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter A/P2

(Contd. on page 4)

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

(Contd. of page 3)

Trade name: Stolltex T 32

Hand protection

If used properly, no protective gloves are required. Avoid skin contact.



If the risk assessment necessitates, wear protective gloves. The glove material has to be impermeable/resistant against the product and be suitable for the tasks to be performed.

Material of gloves

Use solvent/hydrocarbon resistant protective gloves in accordance with EN 374. Gloves made of the following materials are suitable: nitrile rubber (thickness > 0.38 mm, penetration time > 480 min), fluororubber (thickness > 0.38 mm, penetration time > 480 min).

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety goggles with side protection (frame goggles) (EN 166).

Body protection: Protective work clothing (EN 14605)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical	properties
General Information	· -
Colour:	Light yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boiling	
range	$>250 \ ^{\circ}C$
Flammability	Not applicable.
Flash point:	220 °C
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	<i>32 mm²/s</i>
Solubility	
water:	Emulsifiable.
Partition coefficient n-octanol/water (log value)	Not determined.
Density and/or relative density	
Density at 20 °C:	$0.84 \ g/cm^3$
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	nd
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties	Non-oxidising.

- GB

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

Trade name: Stolltex T 32

		(Contd. of page 4
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under recommended storage conditions.

10.2 Chemical stability Stable under normal conditions. **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Heat, flames and sparks. Keep away from strong oxidizing agents.

10.5 Incompatible materials: strong oxidants

10.6 Hazardous decomposition products: In case of fire: CO₂, CO, NO₃, SO₃ Phosphorus oxides Under certain conditions of fire, other toxic/irritant substances may form.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Oral LD50 >5,000 mg/kg (Acute Toxicity Estimate) Dermal LD50 >2,000 mg/kg (Acute Toxicity Estimate)

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

Trade name: Stolltex T 32

(Contd. of page 5)

Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Other information (about experimental toxicology): Skin contact: Close and long term contact can lead to redness, irritation and chapped skin. Swallowing: Nausea, vomiting, diarrhoea. Eye contact: Slight eye irritation possible, but not relevant for classification. 11.2 Information on other hazards

11.2 Information on other nazaras

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. *vPvB:* Not applicable. *12.6 Endocrine disrupting properties* For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects At intended use no interferences with environment are known or expected. Other information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

GB -

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Trade name: Stolltex T 32

		(Contd. of page 6
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
Transport/Additional information:		
IMDG		
Limited quantities (LQ)	not any	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department: +49 (0) 71 21 - 313 - 450

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DDS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. on page 8)

Printing date 05.02.2024

Version number 1.7 (replaces version 1.6)

Revision: 05.02.2024

(Contd. of page 7)

GB

Trade name: Stolltex T 32

Sources

Data of raw material suppliers. GESTIS-Stoffdatenbank, Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung, https:// www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp. * Data compared to the previous version altered.