STOLL

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Stolltex T 46

Article number: 268 621

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Lubricant for textile machines

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: KARL MAYER STOLL Textilmaschinenfabrik GmbH Adolf-Kolping-Str. 5 D-72770 Reutlingen-Betzingen Tel.: +49(0) 71 21 - 313 - 0 Fax.: + 49(0) 71 21 - 313 - 110

Further information obtainable from: Stoll Service Center

1.4 Emergency telephone number:

Stoll: +49 (0) 71 21 - 313 - 450 during the ordinary opening hours (GMT+1: 9.00 am - 4.00 pm) UK (England, Scotland, Wales): Poison Information Centre, Tel. 111 UK (Northern Ireland): contact your local GP

SECTION 2: Hazards identification

2.1 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Safety data sheet available on request.

2.3 Other hazards Results of PBT and vPvB assessment PBT: This substance is neither persistent, bioaccumulative nor toxic (PBT). vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Preparation

Description: Mixture of white oils and harmelss additives. Not classified as a dangerous preparation according to Directive 1272/2008/EC (GHS).

Dangerous components:

CAS: 8042-47-5
EINECS: 232-455-8White mineral oil, petroleum
substance with a Community workplace exposure limit50-<100%</th>

(Contd. on page 2)

GB

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

Additional information:

For the wording of the listed hazard phrases refer to section 16. The mineral oils in this product contain < 3% DMSO extract (IP346).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Personal protection for the First Aider.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Clean with water and soap. Generally the product is not irritant.

If symptoms persist, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Remove contact lenses, continue rinsing. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Decomposition products see section 10. Formation of toxic/irritating gases possible when heated or in case of fire. Decomposition products see chapter 10.

5.3 Advice for firefighters Protective equipment: Mouth respiratory protective device. Wear self-contained respiratory protective device.

Wear fully protective suit. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep away unprotected persons. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Keep away from naked flames, hot surfaces and sources of ignition. Avoid contact with skin and eyes. Do not inhale vapours and aerosols. Close leaks without taking a personal risk.

(Contd. on page 3)

(Contd. of page 1)

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water. In case of seepage into the ground inform responsible authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged or repeated skin contact. Avoid contact with eyes. Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Particular danger of slipping on leaked/spilled product. Remove soiled, soaked clothing. Keep away from food, drink and animal feed. Wash hands before breaks and at the end of work. Do not eat, drink or smoke at work. Information about fire - and explosion protection: Keep away ignition sources - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor. Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store separately from food, luxury foods and animal feed.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. *Storage class:* 10 - *flammable liquid, flashpoint* $>60^{\circ}C$

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Ingredients with limit values that require monitoring at the workplace:

TWA: 5 mg/m³ (oil mist)

CAS: 8042-47-5 White mineral oil, petroleum

TWA Long-term value: 5 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7. *General protective and hygienic measures: Do not eat or drink while working. Keep away from foodstuffs, beverages and feed.*

(Contd. on page 4)

(Contd. of page 2)

GB

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

*

Flash point: Auto-ignition temperature:

Decomposition temperature:

Kinematic viscosity at 40 °C

Viscosity:

	(Contd. of page 3)
Immediately remove all soiled and contamind	
Wash hands before breaks and at the end of w	work.
Do not inhale gases / fumes / aerosols.	
Avoid close or long term contact with the skin	п.
Avoid contact with the eyes.	
Respiratory protection:	
Not necessary if room is well-ventilated.	
Use suitable respiratory protective device in	case of insufficient ventilation.
Use suitable respiratory protective device on	ly when aerosol or mist is formed.
Filter A/P2	· · · ·
Hand protection	
If used properly, no protective gloves are req	uired. Avoid skin contact.
Material of gloves	
Use solvent/hydrocarbon resistant protec following materials are suitable: nitrile	rubber (thickness > 0.38 mm, penetration time > 480 min),
The selection of the suitable gloves does not and varies from manufacturer to manufactu resistance of the glove material can not be co	 and contact with the eyes. piratory protection: necessary if room is well-ventilated. suitable respiratory protective device in case of insufficient ventilation. e suitable respiratory protective device only when aerosol or mist is formed. er A/P2 and protection sed properly, no protective gloves are required. Avoid skin contact. If the risk assessment necessitates, wear protective gloves. The glove material has to be impermeable/resistant against the product and be suitable for the tasks to be performed. terial of gloves solvent/hydrocarbon resistant protective gloves in accordance with EN 374. Gloves made of the fowing materials are suitable: nitrile rubber (thickness > 0.38 mm, penetration time > 480 min). exelection of the suitable gloves does not only depend on the material, but also on further marks of quality twaries from manufacturer to manufacturer. As the product is a preparation of several substances, the state of the glove material can not be calculated in advance and has therefore to be checked prior to the dication. exect break through time has to be found out by the manufacturer of the protective gloves and has to be evend. the permanent contact gloves made of the following materials are suitable: else protection Safety goggles with side protection (frame goggles) (EN 166). the protection: Protective work clothing (EN 14605)
11	
	d out he the manufactures of the protective closes and has to be
	a out by the manufacturer of the protective gloves and has to be
	h - Collowing materials and mitchlas
	ne jollowing materials are suitable:
Eye/fuce protection	
Safety goggles with side protection	n (frame goggles) (EN 166).
Body protection: Protective work clothing (E	IN 14003)
SECTION 9: Physical and chemical	properties
	ical properties
General Information	
Physical state	
Colour:	
Odour:	
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boi	с
range	Not determined.
Flammability	Not applicable.
Flash point:	240 °C
Auto ignition tomporaturo	Not determined

Not determined.

Not determined.

46 mm²/s

(Contd. on page 5)

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

	(Contd. of page 4)
Solubility	
water:	Emulsifiable.
Partition coefficient n-octanol/water (log value)	Not determined.
Density and/or relative density	
Density at 20 °C:	$0.84 \ g/cm^3$
Relative density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	0.0 %
Change in condition	
Softening point/range	
Oxidising properties	Non-oxidising.
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under recommended storage conditions.

10.2 Chemical stability Stable under normal conditions. **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

Heat, flames and sparks. Keep away from strong oxidants as well as reducing agents.

10.5 Incompatible materials: strong oxidants

10.6 Hazardous decomposition products: In case of fire:

(Contd. on page 6)

GB

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

CO₂, CO, NO_x, SO_x Phosphorus oxides Under certain conditions of fire, other toxic/irritant substances may form.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Oral LD50 >5,000 mg/kg (ATE)

Dermal LD50 >2,000 mg/kg (ATE)

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential Bioaccumulation is not expected.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
12.6 Endocrine disrupting properties
The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects Other information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

GB

(Contd. of page 5)

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDĞ, ĬATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
Transport/Additional information:		
IMDG		
Limited quantities (LQ)	not any	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Printing date 01.03.2024

Version number 2.3 (replaces version 2.2)

Revision: 01.03.2024

Trade name: Stolltex T 46

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Training hints

Upon request trainigs for to ensure safety of human health and of environment can be given. Contact see below.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department: +49 (0) 71 21 - 313 - 450

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources GESTIS-Stoffdatenbank, Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung, https:// www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp. Data of raw material suppliers. ECHA-Database, European Chemical Agency, https://echa.europa.eu.

* Data compared to the previous version altered.