

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident. Nr.: 278734.00

CMS	202	303	330	502	520C	530	ADF530	730T	822	830	830C	ADF830	830S	933
Typ	835	834	813 814	811 812	818	815 816 817	820 822 824	593	826 827	828 829	830	825	831	777 778
Anschlußspannung Mains voltage ±10% 50/60 Hz	230V	230V	230V	230V	230/400V	230/400V	230/400V	400V	400V	400V	400V	400V	400V	400V
Phasenzahl phase number	1	1	1	1	1 oder/lor 2	1 oder/lor 2	1 oder/lor 2	3	3	3	3	3	3	3
Bemessungsstrom F0 rated current F0	10A	10A	10A	10A	10A	10A	10A	7A	7A	7A	7A	7A	7A	7A

Hauptsicherung (kundenseitig)/ main fuse (of customer):
16 A träge/slow blow

Netzanschluß:

Achtung ! Vor dem Anschluß ist zu prüfen, welche Netzspannung am Betriebsort der Maschine vorliegt.

Anschluß fremder elektrischer und elektronischer Baugruppen an die maschineninterne Verdrahtung ist generell nicht zulässig.

Eine Garantie für einwandfreie Funktion der Maschine kann in diesen Fällen nicht gewährleistet werden.

Beim Betrieb der Maschine über einen Generator, ist darauf zu achten, daß die Anforderung an die Netzspannung gemäß EN 60204-1 Abs.4.3 erfüllt ist.

Mains connection:

Caution! Before connecting check for the mains voltage which is at the operating place of the machine.

The connection of external electrical and electronical assemblies to the internal wiring of the machine is generally not allowed.

A guarantee for a faultless function of the machine cannot be ensured in those cases.

When operating the machine via a generator take care that the requirement to the mains voltage is carried out according to EN 60204-1 paragr. 4.3..

Seite	Seitenbenennung	Seitenzusatzfeld	Datum	Bearbeiter	X
1	cover page		05. 07. 21	KEH	
2	contents		05. 07. 21	KEH	
3	contents		05. 07. 21	KEH	
4	caption		02. 07. 21	KEH	
5	caption		02. 07. 21	KEH	
6	caption		02. 07. 21	KEH	
7	caption		02. 07. 21	KEH	
8	caption		02. 07. 21	KEH	
9	caption		02. 07. 21	KEH	
10	caption		02. 07. 21	KEH	
11	caption		02. 07. 21	KEH	
12	caption		02. 07. 21	KEH	
13	block diagram power line transformer		02. 07. 21	KEH	
14	block diagram control unit		02. 07. 21	KEH	
15	block diagram signals control unit		02. 07. 21	KEH	
16	block diagram signals control unit		02. 07. 21	KEH	
17	block diagram servo drive and racking		02. 07. 21	KEH	
18	block diagram WA Servo		02. 07. 21	KEH	
19	block diagram WA Servo		02. 07. 21	KEH	
20	connector definition wiring system		02. 07. 21	KEH	
21	power line 230V CMS 502		02. 07. 21	KEH	
22	power line CMS330, 530, 520C, ADF		02. 07. 21	KEH	
23	power line CMS933, 822, 830, 803, 830S, 730T		02. 07. 21	KEH	
24	transformer CMS 202, 303, 330 502, 520C, 530, ADF		05. 07. 21	KEH	
25	transformer CMS933, 822, 830, 803, 730T		05. 07. 21	KEH	
26	power supply		02. 07. 21	KEH	
27	CAN-BUS		02. 07. 21	KEH	
28	servo drive and racking		02. 07. 21	KEH	
29	servo additional neddle beds		02. 07. 21	KEH	
30	inputs servo HA+V		02. 07. 21	KEH	

Kennzeichnung der Steckverbinder Aktoren und Sensoren
Identification of the plug connectors, sensors and actuators

- A__ Baugruppen/ *Assemblies*
- B Schalter/ *Switches*
- E__ Beleuchtung; Lüfter/ *Lighting; Ventilator*
- F__ Sicherungen/ *Fuses*
- J__ Kartensteckverbinder auf dem Verdrahtungssystem
steht für die letzten drei Zahlen der jeweiligen
Identnummer (Beispiel: Id.301023 → J023)/
*The card plug connector of the wiring system
stands for the last three numbers of the respective
Ident. number (example: Id.301023 → J023)*
- K__ Relais/ *Relays*
- M__ Motoren/ *Motors*
- P__ Signaleinrichtungen/ *Signal equipment*
- Q__ Bremsen, Magnete / *Brakes, magnets*
- T__ Transformatoren/ *Transformers*
- W__ Kabel/ *Cable*
- V__ Entstörglieder/ *Interference suppressors*
- XR__ Steckverbinder auf dem Verdrahtungssystem
im rechten Steuergerät (Kabelabgänge) /
*Plug connectors on the wiring systems
in the right control unit (cable outlets)*
- XT__ Steckverbinder am Transformator/ *Plug connectors on the transformer*
- XZ__ Steckverbinder beim Verbraucher oder Schaltglied/
Plug connectors on the transformer

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

[illegible]

Schaltplan/circuit diagram 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

Typ

identifizier Kennbuchstabe Benennung designation ident No. Id.Nr. value/function Wert /Funktion

	835	CMS202
	834	CMS303
	813	CMS330
	814	
	811	CMS502
	812	
	818	CMS520C
	815	CMS530
	816	
	817	CMS530W
	820	ADF 530
	822	
	824	ADF 830
	825	
	593	CMS730T
	826	CMS822
	827	
	828	CMS803/830C
	829	
	830	830C
	777	CMS933
778		

A23li	Längenmess-einrichtung li.	length measuring device left	257282	optional	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
A24	Schockabstellung	shock motion stop	220011		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			255315		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A25	Schockabstellung Zusatzbett	shock motion stop add bed	230520		-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-
A26	Karte Aufholspanner li.	slack tensioner left	241345		x	x	x	x	x	x	x	x	opt	opt	opt	opt	x	x	x	x	x	x
A27	Karte Aufholspanner re.	slack tensioner right	241346		x	x	x	x	x	x	x	x	opt	opt	opt	opt	x	x	x	x	x	x
A28	Sicherheitsrelais Lichtvorhang	safety relay light certain	264233		-	-	-	-	-	-	-	x	x	x	x	-	-	-	-	-	-	-
A29	Gleichrichter Transformator	rectifier transformer	267335		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

B_S1	Endschalter Antrieb li	limit switch drive left	223333		-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	x	x
B_S2	Endschalter Antrieb re.	limit switch drive right	223333		-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	x	x
B 4.1	Grenztaster Versatz	Limit switch racking	in A15		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B 4.2	Grenztaster Versatz Zusatzbett vo./ re.	Limit switch racking front / right additional bed.	in A16		-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-
B 4.3	Grenztaster Versatz Zusatzbett hi./ li.	Limit switch racking rear / left additional bed	in A17		-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-
B 5.1	Schalter Abdeckhaube	Switch Shrouding cover	in A8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B 5.2	Schalter Abdeckhaube	Switch Shrouding cover	in A8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B 6.1	Schalter Abdeckhaube	Switch Shrouding cover	in A8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B 6.2	Schalter Abdeckhaube	Switch Shrouding cover	in A8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B10	Schalter Schutzhaube rechts	Switch Protective hood on the right	223350		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B12	Schalter Schutzhaube links	Switch fabric sensor 1	223350		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B_S14	Schalter Abzug geschlossen	Switch take-down closed	26259		x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-
B15li	Aufholspanner links	Slack tensioner on the left	in A26		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

identifizier Kennbuchstabe	Benennung	designation	ident No. Id.Nr.	value/function Wert /Funktion	Typ	835	834	813	814	811	812	818	815	816	817	820	822	824	825	593	826	827	828	829	830	777	778
B15re	Aufholspanner rechts	Slack tensioner on the right	in A27			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B_ S16	Mikroschalter Wickelblech	Microswitch Winding plate	267012			x	x	x	x	x	x	x	x	x	x												
			026259													x	x	x	x	x	x	x	x	x	x	x	x
B_ S16a	Mikroschalter Wickelblech vorne	Microswitch front winding plate	222063			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B_ S17	Schalter Warenabzug links	Switch fabric take-down on the left	008829			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x
B_ S18	Schalter Warenabzug rechts	Switch fabric take-down on the right	008829			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x
B20	Kammreferenz oben	Comb reference at the top	231516			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B21	Kammreferenz unten	Comb reference bottom	231520			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B22	Kammlichtschranke	Comb Light barrier	243355			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B_ S23	Schalter Abdeckblech Kamm	Switch Cover plate Comb	026259			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B_ S24	Schalter Kammhaken	Switch comb hook	026259			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B 27	Schwimmerschalter Zentralschmierung	Float switch central lubrication	in A22	optional		-	-	x	x	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B 28	Öldruckschalter Zentralschmierung	Oil pressure switch central lubrication	in A22	optional		-	-	x	x	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B_ S30	Schalter Hilfsabzug offen	Switch auxiliary take-down open	026259			-	-	x	x	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
B31	Thermoschalter Flentturbine	Thermoswitch fluff absorption turbine	in M 9			-	-	x	x	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B32	Schalter Wickelblech Fournisseur	Switch winding plate feed wheel	008529			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B38	Referenzsensor Versatz hinten	Reference sensor racking rear	in A15			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B39	Referenzsensor Versatz ZB vo./re.	Reference sensor racking additional bed front / right	in A16			-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-
B40	Referenzsensor Versatz ZB hi./li.	Reference sensor racking additional bed rear / left	in A17			-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-
B41li	Thermoschalter Fournisseur links	Thermoswitch feed wheel left	in M 7			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B41re	Thermoschalter Fournisseur rechts	Thermoswitch feed wheel right	in M 7			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

Typ

identifizier Kennbuchstabe Benennung designation ident No. Id.Nr. value/function Wert /Funktion

CMS202	CMS303	813	814	CMS330	811	812	CMS502	818	CMS520C	815	816	CMS530	817	CMS530W	820	ADF 530	822	824	ADF 830	825	CMS730T	826	CMS822	827	CMS803/830	828	829	830	830C	777	CMS933	778
835	834	813	814	CMS330	811	812	CMS502	818	CMS520C	815	816	CMS530	817	CMS530W	820	ADF 530	822	824	ADF 830	825	CMS730T	826	CMS822	827	CMS803/830	828	829	830	830C	777	CMS933	778

B45	Schalter Abzug offen	Switch take-down open	210510		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B_S46	Schalter Abzug geschlossen	Switch take-down closed	210510		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B48	Auslösemeldeshalter Hauptschalter	Release signalling switch of main switch	in A21		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B_S49	Kammabdeckblech gedrückt	Cover plate Comb depressed	026259		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
B50	Sicherheitslichtvorhang Kaskade	Safety light curtain cascade	264266		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B51	Sicherheitslichtvorhang Endgerät	Safety light curtain end device	264267		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B52	Temperaturschalter Gleichrichter	Thermoswitch rectifier	in A29		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

E1	Maschinenleuchte	machine lighting	264759		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			268722		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			267767		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			272297		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E3	Lüfter Antriebsmotor	fan drive motor	213722		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			254872		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
E4	Lüfter Steuergerät	fan control cabinet	229059	in A1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

F0	Motorschuttschalter	protective motor switch	235115	in A21	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F8	Servo	fuse servo	241866	8AT /440V	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F9	Servo	fuse servo	241866	8AT /440V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F10	Servo	fuse servo	241866	8AT /440V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F10	Netzteil	fuse power supply	267336	20AT /80V	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F11	Netzteil	fuse power supply	267336	20AT /80V	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F20	FLENT	FLENT	241866	8AT /440V	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			263981	4AT /440V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F21	FLENT	FLENT	263981	4AT /440V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F22	FLENT	FLENT	263981	4AT /440V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F23	Servo FF	servo FF	268471	25AT /80VV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F_Si1	28V abgesichert	28V protected	008748	1,0 AF	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F_Si2	28V ASCON	28V ASCON	008748	1,0 AF	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F_Si3	FKE	FKE	008748	1,0 AF	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F_Si4	28V WA	28V WA	008748	1,0 AF	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
F_Si5	12V Panel	12V Panel	275395	4,0 AMT	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

[illegible]

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

				Typ																								
identifizier	Benennung	designation	ident No.	value/function	835	834	813	814	811	812	818	815	816	817	820	822	824	825	593	826	827	828	829	830	777	778		
Kennbuchstabe			Id.Nr.	Wert /Funktion	CMS202	CMS303	CMS330		CMS502		CMS520C	CMS530		CMS530W	ADF 530			ADF 830	CMS730T	CMS822		CMS803/830		830C	CMS933			
Wx	Kabelsatz Inst.	cable set installation	270855		x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			270854		-	-	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			270856		-	-	-	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-	-	-	-
			272151		-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-
			275789		-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-
			273874		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	-	-	-	-
			275819		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-
W1	Kabel Antriebsmotor	Cable drive motor	262235	XR40	x	x	x	x	x	x	x	x	x	x	-	-	-	-	x	x	x	x	x	x	x	-	-	-
			268281		-	-	-	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-	-	-	-
			272266		-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-
			277989		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-
W2	Kabel Resolver Antrieb	Cable resolver drive	270243	XR41	x	x	x	x	x	x	x	x	x	x	-	-	-	-	x	x	x	x	x	x	x	-	-	-
			270244		-	-	-	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-	-	-	-
			272265		-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-
			277990		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-
W3	Kabel Versatzmotor	Cable racking motor	262237	XR43	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
W4	Kabel Resolver Versatz	Cable resolver racking	270037	XR44	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
W5	Kabel Versatzmotor Zusatzbett hi.	Cable racking motor rear additional bed /left	277894	XR49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-
W6	Kabel Resolver Versatz ZB hi.	Cable resolver racking rear / left additional bed	277895	XR50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-
W7	Kabel Versatzmotor Zusatzbett vo.	Cable racking motor front / right additional bed	277897	XR46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-
W8	Kabel Resolver Versatz ZB vo.	Cable resolver racking additional bed front / right	277898	XR47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-
W9	Kabel Warenabzugsmotor	Cable fabric take-down motor	260324	XR14	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-	-
			277995		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-
W10	Kabel Anpresswalzenmotor	Cable pressure roller motor	272160	XR16	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	x	x	x	x
W11	Kabel Kammotor	Cable comb motor	260326	XR15	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-	-
W12	Kabel Hilfsabzugsmotor	Cable auxiliary take-down motor	265676	XR35	-	-	x	x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-
			272162		-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	x	x	x	x
W13	Kabel Kammhakenmotor	Cable comb hook motor	260328	XR17	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-	-	-

Schaltplan/circuit diagram 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

Typ

identifizier

ident No.

value/function

Kennbuchstabe

Benennung

designation

Id.Nr.

Wert /Funktion

835	834	813	814	811	812	818	815	816	817	820	822	824	825	593	826	827	828	829	830	777	778
CMS202	CMS303	CMS330	CMS502	CMS520C	CMS530	CMS530W	ADF 530	ADF 830	CMS730T	CMS822	CMS803/830	830C	CMS933								

W14	Kabel Fournisseur li.	Cable feed wheel on the left	240464	XR11	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			242524		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			277997		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W15	Kabel Fournisseur re.	Cable feed wheel on the right	240294	XR12	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			277999		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W16	Kabel CAN	Cable CAN	240460	XR133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			242522		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W18	Kabel Motor HAAB Ö/S	Cable open/close take-down motor	272158	XR36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W19	Kabel Schalter HAAB Ö/S	Open/close cable switch of main takedown	272159	XR65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W20	Kabel Schalter HAAB/Wickelblech	Cable switch main take-down	267956	XR186	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			262240		-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			272157		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			277994		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W22	Kabel Endschalter Versatz	Cable racking limit switch	240292	XR45	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			242510		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W23	Kabel Endschalter Versatz ZB hi.	Rear / left cable limit switch racking mains supply	243546	XR51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W24	Kabel Endschalter Versatz ZB vo.	Front / right cable limit switch racking mains supply	243549	XR48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W25	Kabel Schutzeinrichtungen re.	Cable protective units on the right	265694	XR26	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			264751		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			274596		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			277991		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W26	Kabel Fadensp. , Signall. , Hupe	Cable yarn tensioner , warning light ,	266268	XR130	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			278001		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W27	Kabel Schocksensoren	Cable piezo sensor	240518	XR154	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
W28	Kabel Schalter Kamm	Cable switch comb	262241	XR187	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
W29	Kabel Impulsgeber Hilfsabzug	Cable switch auxiliary take-down	265698	XR190	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			272155		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W30	Kabel Einrücken	Cable engaging	252538	XR113	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
			272153		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			277992		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W32	Kabel K/S Antrieb rechts	Cable clamp./cutting drive on the right	277900	XR351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W33	Kabel K/S Antrieb links	Cable clamp./cutting drive on the left	277901	XR350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

Typ

identifizier Kennbuchstabe Benennung designation ident No. Id.Nr. value/function Wert /Funktion

835	834	813	814	811	812	818	815	816	817	820	822	824	825	593	826	827	828	829	830	777	778
CMS202	CMS303	CMS330	CMS502	CMS520C	CMS530	CMS530W	ADF 530	ADF 830	CMS730T	CMS822	CMS803/830	830C	CMS933								

W34	Kabel Geber Anpressmotor	cable sensor presser motor	272161	XR464	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	-
			278000		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W35	Temp. Öffnen/Schliessen	Temp open/clos	272152	XR465	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	-
W36	Kabel Piezo ZB vo.hi.	Cable piezo sensor	277902	XR156	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-
W37	Kabel Spgsvers. SERVO	Cable Power supply SERVO	261350	XR6	x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-
			272154		-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	-	
			277993		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W39	Kabel Spgsvers. Netzteil	Cable Power supply	261351	XR100	x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-	
			272163		-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	-	
			277996		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W40	Kabel Zuleitung Zentralschmierung	Cable power supply central lubrication	244406	XT11	-	-	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	
W41	Kabel Ansteuerung Zentralschmierung	Cable control central lubrication	238704	XR68	-	-	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	
W42	Kabel Schalter HIAB	Cable switch pressure motor	265677	XR188	-	-	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-	
			272156		-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x	-
W43	Kabel Sch. Kammhaken /Warensensor	Cable switch Comb hook /fabric sensor	262239	XR189	n	n	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	
W44	Kabel Signale Hauptschalter	Cable signals main switch	269600	XR28	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	
			262262		-	-	-	-	-	x	x	x	x	-	-	-	-	-	-	-	-	-	
			268406		-	-	-	-	-	-	-	-	-	x	x	x	x	-	-	-	-	-	-
			240517		-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x
W45	Kabel Lüfter Antrieb	Cable ventilator drive	240293	XR25	x	x	x	x	x	x	x	x	x	-	-	-	-	-	x	x	x		
			261712		-	-	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	
			272267		-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-
W46	Kabel Beleuchtung LED	cable LED lighting	265675	XR29	x	x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-		
			274585		-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	-	
			275802		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
W47	Kabel Schutzeinrichtungen links	Cable protective units left	265995	XR152	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	-		
			264750		-	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	
			272164		-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-
			274575		-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	-
			277998		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W48	Kabel Zuleitung Trafo	Cable mains supply transformer	269661	XT1	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-		
			262263		-	-	-	-	-	x	x	x	x	-	-	-	-	-	-	-	-		
			268407		-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	-	-	-	-
			250364		-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	x	x
W49	Kabel Zuleitung FKE, Signalleuchte (Tisch)	Cable mains supply yarn control device,warning light	239749		x	x	x	x	x	x	x	x	-	-	-	-	x	x	x	x	x	x	
			266411		-	-	-	-	-	-	-	-	-	x	x	x	x	-	-	-	-	-	-

Schaltplan/circuit diagramm 226

Rechner/computer EKC2, Ident.Nr.:278734.00

STOLL

Typ

identifizier

ident No.

value/function

Kennbuchstabe

Benennung


designation


Id.Nr.

Wert /Funktion

835	834	813	814	811	812	818	815	816	817	820	822	824	825	593	826	827	828	829	830	777	778
CMS202	CMS303	CMS330	CMS502	CMS520C	CMS530	CMS530W	ADF 530	ADF 830	CMS730T	CMS822	CMS803/830	830C	CMS933								

W57	Kabel Batterieeinschub	Cable batterie pug-in unit	260330	XR151	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
W58	Kabel Resolver Hauptabzug	Cable resolver take Down	260325 278244	XR180	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
W59	Kabel Resolver Kamm	Cable resolver comb	260327	XR181	-	-	x	x	x	x	x	x	x	x	x	x	x	x	x	-	-
W60	Kabel +40V ADF	Cable +40V ADF	259107 272270	XR177	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-
W61	Kabel Daten Servo ADF	Cable data Servo ADF	259108 272269	XR176	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-
W63	Kabel Schutzhaube re. /Lichtvorhang	Cable safety curtain ADF	265696 264271 272355 275796	XR69	x	x	x	x	x	x	x	x	-	-	x	x	x	x	x	x	-
					-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-
					-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-
					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x
V1	Netzfilter	power line filter	262386 265315 219133		x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-
					-	-	-	-	-	x	x	x	x	x	-	-	-	-	-	-	-
					-	-	-	-	-	-	-	-	-	-	x	x	x	x	x	x	x







			DATE		circuit diagram 226		H.Stoll AG & Co. KG	block diagram control unit	Id. Nr. 278734		=	
			NAME	KEH							+	
			PLOT	06.07.21					Re. St. 00			SH. 15
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY					42 SH

A2

28.1

control unit





A24
39.1
chrash
sensors front
CMS830S


A24
39.1
Piezo additional needle bed
rear/left
730T/530T

A24
39.1
chrash
sensors rear
CMS830S

A24
39.1
Piezo
additional needle
bed front/right 730T

			DATE		circuit diagram 226		H. Stoll	block diagram signals control unit	Id. Nr. 278734		=
			NAME	KEH			AG & Co. KG				+
			PLOT	06.07.21					Re. St. 00		
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY				SH. 17
										42 SHS	



```
A2
28.1
control unit
```




			DATE		circuit diagram 226	H.Stoll AG & Co. KG	block diagram WA Servo	Id.Nr. 278734		=	
			NAME	KEH						+	
			PLOT	06.07.21						Re. St. 00	
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 :14.09.93	ORIG.	EST.WITH	EST.BY				42 SHS


XR6=power supply servo	XR100=power supply supply lead 54V DC	XR332=carriage rear right
XR7=ventilator_1_control unit	XR113=engaging rod	XR333=carriage front right
XR11=posifeed left	XR121=reserve	XR334=carriage rear left
XR12=posifeed right	XR130=FKE, lamp	XR335=carriage front left
XR14=motor take down	XR133=CAN	XR350=power + signal rear
XR15=motor comb	XR136=needle impuls rear right	XR351=power + signal front
XR16=motor pressure roler	XR137=needle impuls front right	XR352=power + signal rear
XR17=motor comb hook	XR138=needle impuls rear left	XR353=power + signal front
XR25=ventilator main drive motor	XR139=needle impuls front left	XR464=Iresolver HIAB pressure
XR26=protectiv devices	XR143=additional card data	XR465=HAAB 0/S
XR28=signals main switch	XR151=batterie	
XR29=lighting	XR152=signals, limit switch left.	
XR35=motor auxiliary take down	XR154=piezo NB front/rear	
XR36=motor HAAB 0/S	XR155=piezo CMS730T	
XR40=motor Servo1	XR156=piezo CMS730T	
XR41=resolver Servo1	XR157=YC Gr1-YC1-4	
XR42=limit switch Servo1	XR161=YC/AKF left	
XR43=motor Servo2	XR162=YC/AKF right	
XR44=resolver Servo2	XR163=chrash sensor CMS830S	
XR45=limit switch Servo2	XR164=length measurement device right (ASCON)	
XR46=motor Servo3	XR165=length measurement device left (ASCON)	
XR47=resolver Servo3	XR176=data left/right--ADF	
XR48=limit switch Servo3	XR177=40V left--ADF	
XR49=motor Servo4	XR180=resolver main take down	
XR50=resolver Servo4	XR181=resolver comb	
XR51=limit switch Servo4	XR186=switch main take down	
XR64=switch HIAB pressure	XR187=switch comb	
XR65=switch HAAB 0/S	XR188=switch auxiliary take down	
XR68=central lubrication	XR189=switch comb hook	
XR69=light curtain	XR190=resolver auxiliary take down	
XR70=panel PC		
XR71=fournisseur ext.		

			DATE		circuit diagram 226	H. Stoll AG & Co. KG	connector definition wiring system	Id. Nr. 278734			
			NAME	KEH							
			PLOT	06.07.21							
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY	Re. St. 00		SH.	21
										42 SHS	







			DATE		circuit diagram 226		H. Stoll	power line CMS933, 822, 830, 803, 830S, 730T	Id. Nr. 278734			
			NAME	KEH			AG & Co. KG					
			PLOT	06.07.21					Re. St. 00		SH.	24
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY					42 SHS




24										26	
		DATE				H. Stoll		transformer		Id. Nr. 278734	
		NAME		KEH		AG & Co. KG		CMS 202, 303, 330			
		PLOT		06.07.21		circuit diagram 226		502, 520C, 530, ADF			
CHANGES		DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY		Re. St. 00	SH. 25
										42 SH	





25								27			
				DATE				transformer	Id. Nr. 278734		=
				NAME	KEH			AG & Co. KG			+
				PLOT	06.07.21			cms933, 822, 830, 803, 730T			
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY		Re. St. 00		SH. 26
				circuit diagram 226							42 SHS




26										28	
		DATE				H.Stoll		power supply		Id. Nr. 278734	
		NAME		KEH		AG & Co. KG					
		PLOT		06.07.21		circuit diagram 226					
CHANGES		DATE		NAME		FORM.		EPLAN 4.10 : 14.09.93		ORIG.	
								EST. WITH		EST. BY	
										SH. 27	
										42 SH	












			DATE		circuit diagram 226	H. Stoll AG & Co. KG	take-down	Id. Nr. 278734	=	+
			NAME	KEH						
			PLOT	06.07.21						
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY	Re. St. 00		SH. 33
										42 SHS




33				35			
		DATE			comb		Id. Nr. 278734
		NAME	KEH		H. Stoll		
		PLOT	06. 07. 21		AG & Co. KG		
CHANGES		DATE	NAME	FORM.	EPLAN 4. 10 : 14. 09. 93	ORIG.	EST. WITH
						EST. BY	
						Re. St. 00	
						SH. 34	
						42 SH	



34										36									
			DATE		circuit diagram 226				H.Stoll AG & Co. KG		auxiliary take down		Id. Nr. 278734		=		+		
			NAME	KEH															
			PLOT	06.07.21															
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY					Re. St. 00		SH. 35					
										42 SHS									



36	38									
			DATE		circuit diagram 226	H. Stoll AG & Co. KG	outputs I/O-card	Id. Nr. 278734		=
			NAME	KEH						+
			PLOT	06.07.21				Re. St. 00		SH. 37
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 : 14.09.93	ORIG.	EST. WITH	EST. BY			42 SH



			DATE		circuit diagram 226	H.Stoll AG & Co. KG	inputs I/O-card	Id.Nr. 278734		=	
			NAME	KEH						+	
			PLOT	06.07.21							
CHANGES	DATE	NAME	FORM.	EPLAN 4.10 :14.09.93	ORIG.	EST.WITH	EST.BY	Re.St.00		SH. 39	
										42 SHS	

